_	110	Potent and Trademark Office	_

PTOL-37 (Rev. 7-05)

Paper No./Mail Date

of Biological Material

3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),

4.

Examiner's Comment Regarding Requirement for Deposit

7. Examiner's Amendment/Comment

9. Other _____.

8. X Examiner's Statement of Reasons for Allowance

DETAILED ACTION

Response to Arguments

Applicant's arguments, see amendment, filed 08/29/2005, with respect to Office Action mailed 02/23/2005 have been fully considered and are persuasive. The rejection of claims 1-8 has been withdrawn. New claims 9-11 have been added.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Israel Nissenbaum, Reg No 27,582, on September 13,2005.

The application has been amended as follows:

In Claim 1, line 16, delete "said light source is positioned to be physically separated from said batteries by one of said end plates" and replace with "one of said end plates is between said light source and said battery so that said light source is physically separated from said battery".

Claims 1-11 are allowed.

The following is an examiner's statement of reasons for allowance: The instant application claims and discloses an electronic candle with open ended housing and at least one

battery compartment. Claim 1 as amended by examiner's amendement above to specify that light source is physically separated from batteries by end plate is neither shown or rendered obvious by the art of record. Claims 2 and 4-7 depend from claim 1, add further limitations, and are allowable for the same reasons.

Claims 3 and 8 were indicated as allowable in prior Office Action mailed 02/23/2005 and have been made independent.

New claim 9 adds to the claim 1 limitations a functional replacement for the end plates with corresponding structural configuration and physical separation. This combination of limitations is not found or taught in the art of record. Claims 10 and 11 depend from claim 9, add further limitations, and are allowable for the same reasons.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James W. Cranson whose telephone number is 571-272-2368. The examiner can normally be reached on Mon-Fri 8:30A.M.- 5:00P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sandy O'Shea can be reached on 571-272-2378. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/666,731 Page 4

Art Unit: 2875

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

THOMAS M. SEMBER PRIMARY EXAMINER